



KOREA HANWHA L&C CORP.

7-8F, Center1, Euljiro-5Gil, Jung-gu, Seoul, Korea 04539 Tel. +82-2-6364-7837 | Email. peterhong@hanwha.com www.hanex-i.com

AMERICA HANWHA L&C USA LLC

2839 Paces Ferry Rd, Suite 1100, Atlanta, GA, USA 30339 Tel. +1-888-426-9421 | Email. info@hanwhasurfaces.com www.hanexsolidsurfaces.com

INDIA HANWHA L&C INDIA OFFICE

Unit 1303, JMD Regent Square, Heritage City, Sector 25 Gurugram, Haryana, India 122002 Tel. +91-124-431-7300 | Email. india01@hanwha.com

EUROPE HANWHA L&C EUROPE GMBH

Düsseldorfer Str. 13, Eschborn, Germany 65760 Tel. +49-6196-5869-020 | Email. info@hanwhasurfaces.eu www.hanwhasurfaces.eu


CHINA HANWHA L&C TRADING (SHANGHAI) CO LTD

gned in 2018/2019

Hanex[®] Solid Surfac

S Surfa DIF B

DESIGN BOOK ENGINEERD TO INSPIRE





HANEX[®] products are non-porous and certified NSF51 for food preparation areas. Therefore, they can be applied in any application where sanitation is of utmost importance, such as kitchen worksurfaces, hospitals, playrooms or schools.



Fire Certification EN13501-1b

This is the European Fire classification relating to all construction products, including products incorporated within building elements. Products are considered in relation to their end use application. HANEX[®] achieves EN13501-1b which is comparable to B5476 Class 0.

NSF51 Certification

This Standard is applicable to the materials and finishes used in the manufacture of food equipment (e.g., beverage dispenser, cutting board, work surfa es, etc).

Green guard Certification

Indoor Air Quality Certification ensures that products meet indoor air quality pollutant guide lines/standards.

Stain Resistance Report

HANEX® is an acrylic solid surface material product with a high level of alumina trihydrate content as the filler, an ingredient which provides superior resistance to stains and chemicals.

However, exposure to harsh chemicals should be avoided. In case of surface contamination, quickly flush affected area with a domestic gritty cleaner and water. Sand if necessary, as a rule of thumb, surface damage may vary with the chemical strength and exposure time.

Scientific Certification Systems

These certificates relate to recycled chips in use in our material.

Hanex[®] Solid Surfaces

The unlimited design flexibility of HANEX® enables you to create a beautiful and durable aesthetic in any commercial setting, be it a hospital, bank, restaurant, hotel or office space. Commercial applications include : Office/hospitality and medical counters & worksurfaces, reception desks, bathroom worksurfaces and vanities, tabletops, food preparation areas, commercial fitouts including aesthetically seamless wall cladding, lift & foyer surrounds, lighting and more...

Hanex[®] Achieves The Following



FEEL THE DIFFERENCE

SURFACES INSPIRED BY NATURE

Imagine a world where the solid surface powers your space. The surface's stratum look was inspired by the infinite beauty of nature.

Its multi-layered effect captures the depth and dimension of ground floors. Authentic features of

stratum and travertine are achieved for the first time

STRATUM ST-106 GRENICIO

STRATUM

in solid surface.


Design Index

Stratum

ST-101 CLARA










ST-201 ROMANO





Stratum





ST-203 ALBERO

ST-204 MARRON

ST-301 OYSTER PEARL NEW





1000 ST-101 CLA
















Discover the diversity

In a world where everything moves so fast, Hanwha Surfaces makes the time to sweat the small stuff, pay attention to the details and understand what it takes to deliver something magical, something perfect. Delivering the industry's most comprehensive quartz and solid surfacing solutions - with unequalled consistency of color, texture and quality.

Bellassimo **EPISODE** II

Experience the greatness and grandeur in our new collection: Inspired by patterns and colors of the elements in nature such as rock, wood and plant.




BELLASSIMO BL-201 KASHMERE



Bellassimo Episode II

Bellassimo Episode II



BL-209 MACASSAR

BL-016 CUMULUS













LOCATION SEOUL, KOREA COLOR BL-205 SEDIMENTARY PROJECT CAFÉ ARINCO



LOCATION SEOUL, KOREA COLOR BL-209 MACASSAR PROJECT STUDIO SEOUL

LOCATION JEJU ISLAND, KOREA COLOR BL-201 KASHMERE PROJECT SEOHAN INDUSTRY





LOCATION FRANKFURT, GERMANY COLOR S-008 N-WHITE PROJECT ASOS SHOP



<image>



LOCATION BANGKOK, THAILAND COLOR S-008 N-WHITE PROJECT NOKIA FLAGSHIP STORE LOCATION HANAM, KOREA COLOR S-008 N-WHITE PROJECT LOCCITANE STORE



















LOCATION BANGKOK, THAILAND COLOR S-008 N-WHITE PROJECT SOMERSET THAILAND

LOCATION PRAGUE, CZECH REPUBLIC COLOR S-008 N-WHITE PROJECT BAR ORANZOVY





















LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT PRIVATE DENTAL CLINIC









LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT GANGNAM PUBLIC CONVALESCENT HOSPITAL










LOCATION SHENZHEN, CHINA COLOR S-008 N-WHITE PROJECT TCL CORPORATION




LOCATION GUANGZHOU, CHINA COLOR S-008 N-WHITE PROJECT SONG CLUB

LOCATION SEOUL, KOREA COLOR S-008 N-WHITE PROJECT GALLERY Q













LOCATION GYEONGGI, KOREA COLOR S-019 BROWN FEVER PROJECT DOOSUNG CAMPER









LOCATION GYEONGJU, KOREA COLOR T-201 FETA CHEESE PROJECT SG MISOZIUM CONDOMINIUM



LOCATION SEOUL, KOREA COLOR M-007 M-BLACK PROJECT LET ME HOME




LOCATION TAIPEI, TAIWAN COLOR GAM-001 AFTERSNOW PROJECT TEAM7 FURNITURE



LOCATION TAIPEI, TAIWAN COLOR GAM-001 AFTERSNOW PROJECT TEAM7 FURNITURE









LOCATION SEOUL, KOREA COLOR C-001 CUBIC WHITE PROJECT LOTTE CASTLE

() NE









LOCATION NSW, AUTRALIA COLOR S-008 N-WHITE PROJECT SCF INTERIORS, WAREEMBA



LOCATION MOSCOW, RUSSIA COLOR S-008 N-WHITE PROJECT CITY HOTEL

LOCATION BEIJING, CHINA COLOR S-008 N-WHITE PROJECT OPERA MALL




LOCATION SINGAPORE, SINGAPORE COLOR C-001 CUBIC WHITE PROJECT MINTON CONDOMINIUM

LOCATION SEOUL, KOREA COLOR ST-101 CLARA PROJECT RAUM EXHIBITION





47











NEW










D-028 BLACK BEAT







Trio



GAD-015 PERSEUS NEW GAR-006 DESERT CASTLE GAR-010 BLACK SPOT

C-001 CUBIC WHITE

C-004 CUBIC TRANSBLANC

% SCS Certified

Recycled products (Including % of recycled material)

50





GAD-011 XENON NEW GAD-007 JUNO

NEW






Recycled products (Including % of recycled material)



Glittering





All dark décors are prone to show scratches, dust, haziness and ordinary wear and tear more easily than lighter textured décors. Therefore, these décors are not recommended for use in residential and commercial applications that will be subject to heavy use.

GL-001 PEGASUS

GL-003 LIBRA GL-006 CYGNUS

Nativo Collection





The new and premium collection 'NATIVO' resembles distinguished and premium look of nature. The unique atypical chips and tone-on-tone colors in 'NATIVO' create the natural and wild look which solid surfaces never had before.

NA-01 BLANDO

NA-06 MONTES


Brionne



B-012 OSLO WHITE




B-040 COPPER BLACK




B-031 HELSINKI

B-004 BASILICA B-001 IVORY ESSENCE



ST()

B-039 WILD FIRE



*Colors may vary from actual production

Surface

residential or commercial application with inconspicuous seams. Rich colours and textures. Superior function and form. Discover the many unique benefits of Hanex[®]. The only limitation of Hanex[®] is your imagination.

- Highly durable
- Maintains its colour and shape
- Resistant to heat, mould, pollutants and bacteria
- Renewable, repairable & environmentally friendly
- Easy to care for & maintain scratch & stain resistant
- Extensive colour range
- 10 Years limited warranty
- Endless design possibilities
- Hanex[®] achieves the highest for classification en13501-1b



Hanex[®] solid surfaces can be fabricated and installed in almost any

· Easy to fabricate designs envisioned by designers or architects



Hanex[®] Acrylic Sinks & Bowls



Colours available


S-008 N-WHITE & S-004 IVORY other colors upon request, please contact your local Hanex Distributor All casted sinks are covered by 10 year manufacturers warranty.


Features


- 100% acrylic Sinks & Bowls
- Excellent quality and design
- Available to make the customized designs
- Good color matching with solid surface
- Available in even small quantity(HANEX model)

Available in Solo category with matching solid surface or stainless steel base. All fabricated sinks are covered by 10 year manufacturers warranty. Delivery lead-times will apply as these sinks are manufactured to order.










Standard Size

Hanex has various colors and patterns, and is made of the same materials both inside and outside. It can compensate the disadvantages of laminate and coating. It can also be processed in limitless forms inwhich is not possible with laminate and natural stone.

* Other size is available upon special order



Certification

Hanex is highly regarded in the environment-friendly materials market with various environmental related certifications such as NSF, Greenguard, and SCS.



Hanex[®] Material Safety Data Sheet

Chemical Product And Company Identification

Material Identification

HANEX (HANEX is a registered trademark of HANWHA L&C CORP.) Company Identification Manufacturer

HANWHA LIVING & CREATIVE CORP.

7F Center1, 26, Eulji-ro, 5-Gil, Jung-gu, Seoul 100-210, Korea **Contact Details For Information**

HANWHA LIVING & CREATIVE CORP.

7F Center1, 26, Eulji-ro, 5-Gil, Jung-gu, Seoul 100-210, Korea Ph: +82 2 6364 7817 Fax: +82 2 6367 7809

Composition And Information On Ingredients

Component	CAS	%
Polymethylmethacrylate	8011-14-7	>30
Alumina Trihydrate	21645-51-2	<70
Methylmethacrylate (Degradation Product)	80-62-6	<1

Heated above 300 dCe,g " HANEX" can release

Fire-Fighting Measures And Explosion Hazard

Flammable Properties

"HANEX" can be combusted only with difficulty. Hazardous gases/vapor produced in fire are carbon monoxide, methyl methacrylate, aldehydes **Extinguishing Media** Water, Dry chemical, CO2 Fire Fighting Instructions Keep personnel removed and upwind of fire. Wear self-contained breathing apparatus.

Accidental Release Measures

Safeguard (Personnel)

NOTE : Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE during clean up. Spill Clean Up Recover undamaged and minimally contaminated material for reuse and reclamation.

Handling And Storage

Handling (Personnel) Avoid breathing dust. Avoid breathing fumes generated during sawing, routing or drilling. Handling (Physical Aspects) Avoid dust generation. Storage Store in a cool place

Exposure Controls And Personal Protection

Engineering Controls (Ventilation) Use ventilation that is adequate to keep employee exposure to air borne concentration below exposure limits. Personal Protection Protective equipment: EYE/FACE PROTECTION Wear safety glasses during operations such as sawing, sanding, drilling or routing.

Toxicological Information

Skin / Eye Irritant Polymethylmethacrylate

The compound is not a skin or eye irritant and is not a skin sensitizer in animals. Single or repeated ingestion produced mild degenerative changes of liver and kidney.

Methyl Methacrylate

The compound is a skin irritant, is a moderate eye irritant, and is a skin sensitizer in animals.

Alumina Trihydrateylate

The compound is untested for skin and eye irritant, and is untested for animal sensitization.

Acute Toxicity (LC50)

POLYMETHYL METHACRYLATE >2MG/1, 4hr LC50(Inhalation/Rat) METHYL METHACRYLATE 7093PPM/4hr LC50(Inhalation/Rat) Acute Toxicity (LC50)

POLYMETHYL METHACRYLATE >2000mg/kg, 4hr LD50(Oral/Cat)

METHYL METHACRYLATE 7900PPM/4hr LD50(Oral/Cat)

Ecological Information

BIODEGRADATION
No information is available
BIOACCUMULTION
No information is available
AQUATIC TOXICITY
No information is available

Disposal Considerations

Dispose in accordance with federal, state and local regulation. The owner of the material is responsible for proper waste disposal.

Other Information

The data in this Material Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material or in any process.

Responsibility for MSDS : "HANEX" products

Hanex® Specification

Technical Specification

Sample: Scagliola(HANEX) D

Test Item	Unit	Sample
Specific Gravity((23/23) ℃)	-	-
Rockwell Hardness(HRM)	-	-
Tensile Strength	MPa	-
Tensile Modulus of Elasticity	GPa	-
Flexural Strength	MPa	-
Flexural Modulus of Elasticity	GPa	-
Izod Impact Strength	J/m	-
Water Absorption(24h Immersion)	%	-
Density(23 °c)	g/cm ²	-
Heat Resistance Test	-	-
Hot Water Resistance Test	-	-
Deflection Temperature Under(1.82 Mpa)	°C	-
Thermal Expansion	1/ °C	-

*Specimen: Type I, Speed of Testing: 5 mm/min(Modulus: 1 mm/min) *Speed of Testing: 5.2 mm/min, Support Span: 190 mm USAGE: QUALITY CONTROL

EGY STONE

Result	Test Method
1.756	ASTM D792-08(Method A)
90	ASTM D785-08(Procedure A)
43.8	ASTM D638-10(*)
12.6	ASTM D638-10(*)
58.8	ASTM D790-10(**)
10.6	ASTM D790-10(**)
16	ASTM D256-10(Method A)
0.036	ASTM D570-98(2010)e1
1.751	ASTM D792-08(Method A)
No Defects	JIS K 6902 : 2008
No Defects	JIS K 6902 : 2008
115	ASTM D648-07(Method B)
3.93×10-5	JIS K 6911 : 2006